



Tina



Tina



Tina



Tina



Tina



Tina



Tina



Tina



Tina





























©2003 ASIAN 4 YOU Inc.
www.asian4you.com

Tina







©2003 ASIAN 4 YOU Inc.
www.asian4you.com

Tina



©2006 ASIAN 4 YOU, Inc.
www.asian4you.com

Tina



©2003 ASIAN 4 YOU, Inc.
www.asian4you.com

Tina























©2003 ASIAN 4 YOU Inc.
www.asian4you.com

Tina





















Tina





Tina







©2003 ASIAN 4 YOU Inc.
www.asian4you.com

Tina



Tina

$$x_0 = \frac{1}{\sqrt{2}} \begin{pmatrix} 1 \\ i \end{pmatrix}, x_1 = \frac{1}{\sqrt{2}} \begin{pmatrix} 1 \\ -i \end{pmatrix}, x_2 = \frac{1}{\sqrt{2}} \begin{pmatrix} 1 \\ 0 \end{pmatrix}, x_3 = \frac{1}{\sqrt{2}} \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$









©2003 ASIAN 4 YOU Inc.
www.asian4you.com

 **Tina**

Tina





©2003 ASIAN 4 YOU Inc.
www.asian4you.com

Tina











©2003 ASIAN 4 YOU Inc.
www.asian4you.com

Tina



©2003 ASIAN 4 YOU Inc.
www.asian4you.com

Tina



©2003 ASIAN 4 YOU Inc.
www.asian4you.com

Tina



©2003 ASIAN 4 YOU Inc.
www.asian4you.com

Tina